


Katalog 2014

**Noże tokarskie
ze stali szybkotnącej**



BIOTECHNAR Rafał Kosiba

Ul. Dmowskiego 4


33-100 Tarnów




Wielkość Size	Waga (kg)	Wymiary (mm)					Materiał
		h	b	L	n	r	
1010	0,080	10	10	90	4	0,2	SW7M
1212	0,130	12	12	100	5	0,4	SW7M
1616	0,230	16	16	110	6	0,4	SK5
2020	0,390	20	20	125	8	0,8	SK5
2525	0,670	25	25	140	10	0,8	SK5




Rozmiar (mm)	Waga (kg)	Wymiary (mm)					Materiał
		h	b	L	n	r	
1010	0,080	10	10	90	6	0,4	SW7M
1212	0,130	12	12	100	7	0,4	SW7M
1616	0,230	16	16	110	8	0,4	SK5
2020	0,390	20	20	125	10	0,8	SK5
2525	0,670	25	25	140	12	0,8	SK5




Rozmiar (mm)	Waga (kg)	Wymiary (mm)					Materiał
		h	b	L	n	r	
1610	0,130	16	10	110	5	0,4	SK5
2012	0,240	20	12	125	6	0,4	SK5
2516	0,440	25	16	140	8	0,4	SK5
3220	0,860	32	20	170	10	0,8	SK5




Rozmiar (mm)	Waga (kg)	Wymiary (mm)					Materiał
		h	b=b ₁	L	l	r	
2012	0,230	20	12	125	20	0,4	SK5
2516	0,420	25	16	140	25	0,4	SK5
3220	0,820	32	20	170	32	0,4	SK5




Rozmiar (mm)	Waga (kg)	Wymiary (mm)					Materiał
		h	b	L	n	r	
1010	0,080	10	10	90	4	0,4	SW7M
1212	0,120	12	12	100	5	0,4	SW7M
1616	0,230	16	16	110	6	0,4	SK5
2020	0,390	20	20	125	8	0,8	SK5
2525	0,670	25	25	140	10	0,8	SK5




Rozmiar (mm)	Waga (kg)	Wymiary (mm)						Materiał
		h	b	L	l	r	b ₁	
1208	0,070	12	08	100	12	0,2	3	SK5
1610	0,120	16	10	110	14	0,2	4	SK5
2012	0,210	20	12	125	16	0,2	5	SK5
2516	0,380	25	16	140	20	0,4	6	SK5
3220	0,730	32	20	170	25	0,4	8	SK5
4025	1,330	40	25	200	32	0,4	10	SK5




Rozmiar (mm)	Waga (kg)	Wymiary (mm)								Materiał
		h	b	d	n	L	l	r	D min	
0808	0,060	8	8	8	3	125	40	0,4	14	SW7M
1010	0,110	10	10	10	4	150	50	0,4	18	SW7M
1212	0,180	12	12	12	5	180	63	0,4	21	SW7M
1616	0,370	16	16	16	6	210	80	0,4	27	SK5
2020	0,680	20	20	20	8	250	100	0,4	34	SK5
2525	1,260	25	25	25	10	300	125	0,8	43	SK5




Rozmiar (mm)	Waga (kg)	Wymiary (mm)								Materiał
		h	b	d	n	L	l	r	D min	
0808	0,060	8	8	8	3	125	40	0,4	14	SW7M
1010	0,110	10	10	10	4	150	50	0,4	18	SW7M
1212	0,180	12	12	12	5	180	63	0,4	21	SW7M
1616	0,370	16	16	16	6	210	80	0,4	27	SK5
2020	0,680	20	20	20	8	250	100	0,4	34	SK5
2525	1,260	25	25	25	10	300	125	0,8	43	SK5
3232	2,550	32	32	32	12	355	160	0,8	52	SW7M




Rozmiar (mm)	Waga (kg)	Wymiary (mm)				Materiał
		h	b	L	r	
1610	0,140	16	10	110	0,4	SK5
2012	0,240	20	12	125	0,4	SK5
2516	0,440	25	16	140	0,4	SK5
3220	0,870	32	20	170	0,8	SK5




Rozmiar (mm)	Waga (kg)	Wymiary (mm)								Materiał
		h	b=d	L	b ₁	n	l	r	D _{min}	
1212	0,180	12	12	180	4	10	63	0,2	32	SW7M
1616	0,370	16	16	210	5	12	80	0,2	40	SW7M
2020	0,690	20	20	250	6	16	100	0,4	50	SW7M
2525	1,320	25	25	300	8	20	125	0,4	63	SW7M
3232	2,560	32	32	355	10	25	160	0,4	80	SW7M



Rozmiar (mm)	Waga (kg)	Wymiary (mm)				Materiał
		h	b	L	n	
1610	0,120	16	10	110	2,5	SK5
2012	0,220	20	12	125	3,0	SK5
2516	0,430	25	16	140	4,0	SK5
3220	0,860	32	20	170	5,0	SK5



Rozmiar (mm)	Waga (kg)	Wymiary (mm)						Materiał
		h	b	L	n	l	D _{min}	
1212	0,190	12	12	180	6	63	24	SW7M
1616	0,390	16	16	210	8	80	32	SW7M
2020	0,730	20	20	250	10	100	40	SW7M
2525	1,385	25	25	300	12	125	49	SW7M



Rozmiar (mm)	Waga (kg)	Wymiary (mm)							Materiał
		b ₁	h	b	L	l ₁	a	d	
1616	0,280	3	16	16	180	30	2,0	5,8	SW7M
1616	0,280	4	16	16	180	35	2,3	7,2	SW7M
2020	0,500	5	20	20	210	48	2,8	9,0	SW7M
2020	0,500	6	20	20	210	60	3,5	11	SW7M
2525	0,930	7	25	25	250	70	4,0	15	SW7M
2525	0,950	8	25	25	250	80	4,5	17	SW7M
3030	1,750	10	30	30	300	100	4,5	24,5	SW7M
3030	1,820	12	30	30	300	110	4,5	29	SW7M